

Northeast OH 1 WK #16
 week ending Feb 19, 2009
 Friends in Northeast Ohio.

OHEJ allies like you made it clear in the EJ forums we held in 2007 that public notice in places people actually see/read is important. OHEJ allies have taken these citizen recommendations to OEPA, and are working for reform in this area. Stay tuned!

The information below is provided in order for you to see what is going on in Northeast Ohio. You will notice that some things have been highlighted to draw your attention to these items.

Key, (PN)=In Public Notice. (NPN)=Not in Public Notice. Yellow= Application for new permit received Green=Pending draft action, pay close attention. RED=Final permit no chance for public comment.

Factory Farms NOTHING LISTED LAST WEEK

Public meetings for Feb. and March, 2009

February 2009		
Division of Surface Water Proposed Wastewater Permit to Install Rules Related Information	Tuesday February 24 10:30 A.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio
Division of Air Pollution Control Ohio's Regional Haze State Implementation Plan submitted to U.S. EPA Public Notice	Thursday February 26 3:30 P.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio
Sandusky Harbor Dredging 401 Potential Water Quality Impacts Contact: Darla Peelle	Thursday February 26 6:30 P.M.	Sandusky City Hall 222 Meigs Street Sandusky, Ohio

MARCH 2009

Ozone Nonattainment Redesignation and Maintenance Plan Columbus Area News Release	Monday March 2 2:30 P.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio
Ozone Nonattainment Redesignation and Maintenance Plan Cleveland-Akron-Lorain Area News Release	Tuesday March 3 2:30 P.M.	Ohio EPA Northeast District Office 2110 East Aurora Road Twinsburg, Ohio
First Energy Bayshore Plant Information on studies regarding entrapment and entrainment at the power plant's water intake Lucas County Information Session Only News Release	Tuesday March 3 6:30-8:15 P.M.	Wynn Elementary School Gymnasium 5224 Bay Shore Road Oregon, Ohio

<p>Suburban Collision Center Draft air permit Automotive body, paint and interior repair and maintenance facility Cuyahoga County News Release</p>	<p>Tuesday March 3 6:30 P.M.</p>	<p>Cuyahoga County Public Library 27403 Lorain Road North Olmsted, Ohio</p>
<p>Division of Air Pollution Control Proposed rules to consolidate Ohio's ambient air quality standards Public Notice</p>	<p>Thursday March 5 10:30 A.M.</p>	<p>Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio</p>
<p>Preble County Landfill Solid waste permit Proposed expansion News Release</p>	<p>Monday March 9 6:30 P.M.</p>	<p>Preble County Courthouse 101 East Main Street Eaton, Ohio</p>
<p>Division of Drinking and Ground Waters Proposed rules on requirements for underground injection control wells Contact: Mary McCarron</p>	<p>Tuesday March 10 10:00 A.M.</p>	<p>Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio</p>
<p>Fairport Harbor Dredging 401 Potential water quality impacts Lake County Contact: Caroline Markworth</p>	<p>Tuesday March 10 6:00 P.M.</p>	<p>Fairport Harbor Public Library 335 Vine Street Fairport Harbor, Ohio</p>
<p>Combined 401s: Schaffner seawall and pier West tower and pier and Panuto Seawall and pier Potential water quality impacts Lorain County Contact: Caroline Markworth</p>	<p>Thursday March 12 6:30 P.M.</p>	<p>Avon Lake Public Library 32649 Electric Blvd Avon Lake, Ohio</p>
<p>Ohio Department of Transportation 401 Water Quality Certification Potential impacts to wetlands and streams Holmes County Contact: Caroline Markworth</p>	<p>Thursday March 19 6:30 P.M.</p>	<p>Killbuck Township Community Room 340 North Main Street Killbuck Township, Ohio</p>
<p>Ashtabula Harbor Dredging 401 Water Quality Certification Potential water quality impacts Ashtabula County Contact: Caroline Markworth</p>	<p>Tuesday March 24 6:30 P.M.</p>	<p>Chamber of Commerce 4536 Main Avenue Ashtabula, Ohio</p>
<p>OVEC Kyger Creek Plant Landfill New residual waste landfill Gallia County Public Hearing Only News Release</p>	<p>Wednesday March 25 6:30 P.M.</p>	<p>River Valley High School Cafeteria 1428 Little Kyger Road Cheshire, Ohio</p>
<p>BASF Catalyst Draft air permit Lorain County Contact: Caroline Markworth</p>	<p>Wednesday March 25 6:30 P.M.</p>	<p>Elyria Public Library West River Branch 1194 West River Road North Elyria, Ohio</p>

Village of Roseville 401 Water Quality Certification Potential water quality impacts from constructing a raw drinking water well Perry and Muskingum Counties Contact: Jed Thorp	Tuesday March 31 6:00 P.M.	Roseville Community Center 13047 Karl Brown Road Roseville, Ohio
--	----------------------------------	--

April 2009		
Southington Schools Sewer Line Extention Potential Water Quality Impacts Trumbull County Contact: Caroline Markworth	Monday April 6 6:30 P.M.	Southington Christian Church 3285 State Route 534 Southington, Ohio
Lorain Harbor Dredging 401 Water Quality Certification Potential water quality impacts Lorain County Contact: Caroline Markworth	Tuesday April 7 6:30 P.M.	Lorain Public Library 351 Sixth Street Lorain, Ohio
Vista View Development Water Quality Certification Potential Water Quality Impacts Hamilton County Contact: Erika Wiggins	Thursday April 16 6:30 P.M.	Miami Township Hall 112 South Miami Avenue Cleves, Ohio

Public meetings for Feb. 2009

- **February 13, 2009--Ohio EPA Seeks Public Comments for Groundwater Designation for Hamilton County Property**
- **February 13, 2009--Ohio EPA Approves Cleanup of Former ODOT Garage in Ashland**
- **February 13, 2009--Public Meeting Scheduled Regarding Draft Permit Issued for Preble County Landfill Expansion**
- **February 17, 2009--Ohio EPA Requests Recognition of Improved Air Quality in Columbus and Cleveland/Akron; Public Hearings to be Held in March**
- **February 17, 2009--Ohio EPA Submits Plan to Address Regional Haze**
- **February 17, 2009--Ohio EPA Initiates, Approves Groundbreaking Agreement with Columbus Suburbs**
- **February 17, 2009--Ohio EPA Accepts Comments About Draft Air Permit for Biogas Production Facility in Columbus**
- **February 18, 2009--Air Pollution Control Violations Settlement for Mack Industries, Inc. in Medina County**
- **February 18, 2009--Public Meeting Scheduled Regarding Draft Air Permit Issued to Suburban Collision Center in Cuyahoga County**
- **February 18, 2009--Ohio EPA Approves Hamilton Investigation, Cleanup of Former Mercy Hospital Site**
- **February 19, 2009--Public Meeting Scheduled Regarding Draft Solid Waste Permit Issued to Ohio Valley Electric Corporation**
- **February 19, 2009--Ohio EPA Considering Options to Reduce Fish Mortality at Bay Shore Power Plant's Maumee Bay Water Intake**
- **February 19, 2009--Columbiana County Landfill to Immediately Cease Operations**
- **February 19, 2009--Ohio EPA Issues Franklin County Property Owner Another Covenant Not to Sue**

Ashtabula County: NOTHING THIS WEEK.

Carroll County: NOTHING THIS WEEK.

Columbiana County: NOTHING THIS WEEK.

Geauga County:

FINAL ISSUANCE OF NPDES PERMIT

PN TROYER WATER SYSTEM
14079 OLD STATE RD
MIDDLEFIELD OH ACTION DATE : 04/01/2009
RECEIVING WATERS: UNNAMED TRIB TARE CREEK
FACILITY DESCRIPTION: IRON & MANGANESE REMOVL
IDENTIFICATION NO. : 3IY00164*AD
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC.

FINAL ISSUANCE OF PERMIT TO INSTALL

PN TROYER WATER SYSTEM
14131 OLD STATE ROAD
MIDDLEFIELD OH ACTION DATE : 02/19/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 657113
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. TROYER WATER SYSTEM AT 14131 OLD STATE ROAD

Lake County:

APPROVED PERMISSION FOR OPEN BURNING OAC CHAPTER 3745-19

PN BLUESTONE PERENNIALS
7211 MIDDLE RIDGE ROAD
MADISON OH ACTION DATE : 02/05/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : LK1409

PN PETITTI GARDEN CENTERS
6860 MIDDLE RIDGE ROAD
MADISON OH ACTION DATE : 02/04/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : LK1408

PN PETITTI GARDEN CENTERS
1640 DOCK ROAD
MADISON OH ACTION DATE : 02/05/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : LK1410

Mahoning County: NOTHING THIS WEEK.

Portage County:

PROPOSED ISSUANCE OF MODIFICATION TO NPDES PERMIT CONDITIONS

PN WESTERN RESERVE WWTP
11708 STATE RTE 88
RAVENNA OH ACTION DATE : 02/24/2009
RECEIVING WATERS: CAMP CREEK
FACILITY DESCRIPTION: COUNTY
IDENTIFICATION NO. : 3PG00121*HD
REVISED LIMITS AND NOTES SECTION FOR OUTFALL 001; REVISED PART II,
ITEM A.

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN GE HEALTHCARE COILS
1515 DANNER DR
AURORA OH ACTION DATE : 02/18/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0102015
COIL PAINT BOOTH

Stark County:

FINAL ISSUANCE OF FINDINGS AND ORDERS

PN MEADOWLAKE LIMITED, LLC DBA MEADOWLAKE GOLF & SWIM
1211 39TH STREET NE
CANTON, OH 44714 OH ACTION DATE : 02/09/2009
FACILITY DESCRIPTION: PUBLIC WATER SYSTEM
IDENTIFICATION NO. : OH7646512
DISMISSAL OF ADJUDICATION HEARING.

FINAL ISSUANCE OF PERMIT TO INSTALL

PN CITY OF CANAL FULTON
HIGH STREET
CANAL FULTON OH ACTION DATE : 02/18/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 702168
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. HIGH STREET SANITARY SEWER EXTENSION

PROPOSED ISSUANCE OF MODIFICATION TO NPDES PERMIT CONDITIONS

PN AMERICAN LANDFILL INC *
7916 CHAPEL ST SE
WAYNESBURG OH ACTION DATE : 02/26/2009
RECEIVING WATERS: LITTLE SANDY CREEK
FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 3IN00169*GD
DIRECTOR'S DECISION STATEMENT ADDED TO PAGE 1; CHANGES MADE TO PART
I, A - FINAL OUTFALLS 004 005, 006, 007, 008 AND 009; ADDED FINAL
EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS TABLE AND NOTES FOR
NEW FINAL OUTFALL 010, NEW INTERNAL MONITORING STATION 610 AND NEW
INFLUENT MONITORING STATION 601 TO SECTION PART I, B AND ADDED
SAMPLING STATIONS 601, 610 AND 010 AND DESCRIPTION OF LOCATIONS IN
PART II, ITEM A AND ADDED NEW ITEMS L, M, AND N.

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN GREIF PAPER, PACKAGING & SERVICES LLC
9420 WARMINGTON RD, S.W.
MASSILLON OH ACTION DATE : 02/18/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0100950
FEPTIO FOR A GAS TURBINE WITH A SUPPLEMENTAL DUCT BURNER AND STEAM
GENERATOR.

SUMMIT COUNTY:

FINAL ISSUANCE OF EXTENSION OF PERMIT TO INSTALL

PN SPRING GARDEN WALDORF SCHOOL
1791 SOUTH JACOBY ROAD
COPLEY, OH 44321 OH ACTION DATE : 02/20/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 623726
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. SEWAGE TREATMENT SYSTEM UPGRADE FOR THE SPRING GARDEN
WALDORF SCHOOL AT 1791 SOUTH JACOBY ROAD.

Trumbull County:

FINAL ISSUANCE OF FINDINGS AND ORDERS

PN DENNIS BRAKE
687 GREENVILLE ROAD
BRISTOLVILLE, OH 44402 OH ACTION DATE : 02/18/2009
FACILITY DESCRIPTION: SCRAP TIRE
IDENTIFICATION NO. : 78-00-FO
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES
MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO
OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN:

SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049, TEL: (614)644-2621. NOTICE IS HEREBY GIVEN THAT ON FEBRUARY 18, 2009, THE DIRECTOR OF OHIO EPA ISSUED FINAL FINDINGS AND ORDERS ("ORDERS") TO DENNIS BRAKE ("RESPONDENT"), 687 GREENVILLE ROAD, BRISTOLVILLE, OH 44402. THESE ORDERS ARE ISSUED TO RESOLVE VIOLATIONS OF THE STATE'S SOLID WASTE LAWS. UPON THE EFFECTIVE DATE OF THESE ORDERS, RESPONDENT SHALL CEASE ACCEPTANCE AND DISPOSAL OF ALL SOLID WASTES, INCLUDING SCRAP TIRES AT THE PROPERTY AND COMPLY WITH ORC CHAPTER 3734. AND OAC CHAPTER 3745-27. RESPONDENT SHALL IMPLEMENT MOSQUITO CONTROL MEASURES, MAINTAIN RECORDS OF EACH APPLICATION OF THE REGISTERED PESTICIDE, LARVICIDE, OR ADULTICIDE AND PROVIDE COPIES OF THE RECORDS; ESTABLISH STORAGE PILES AND FIRE BRAKES AT THE PROPERTY; AND REMOVE OR CAUSE REMOVAL OF ALL SCRAP TIRES FROM THE PROPERTY AND ARRANGE FOR THEIR TRANSPORTATION BY A REGISTERED SCRAP TIRE TRANSPORTER. THESE ORDERS ARE SUBJECT TO ALL RULES, REGULATIONS, AND SPECIFIED CONDITIONS.

APPLICATION RECEIVED FOR AIR PERMIT

PN TUBE CITY IMS
 2669 MARTIN LUTHER KING JR BLVD
 YOUNGSTOWN OH ACTION DATE : 02/18/2009
 FACILITY DESCRIPTION: AIR
 IDENTIFICATION NO. : A0037013
 ELECTRIC ARC FURNACE SLAG PROCESSING FACILITY.

Northeast OH 1 WK #17
 week ending Feb 26, 2009
 Friends in Northeast Ohio.

OHEJ allies like you made it clear in the EJ forums we held in 2007 that public notice in places people actually see/read is important. OHEJ allies have taken these citizen recommendations to OEPA, and are working for reform in this area. Stay tuned!

The information below is provided in order for you to see what is going on in Northeast Ohio. You will notice that some things have been highlighted to draw your attention to these items.

Key, (PN)=In Public Notice. (NPN)=Not in Public Notice. Yellow= Application for new permit received Green=Pending draft action, pay close attention. RED=Final permit no chance for public comment.

Factory Farms NOTHING LISTED LAST WEEK
Public Meetings

March 2009		
Ozone Nonattainment Redesignation and Maintenance Plan Columbus Area News Release	Monday March 2 2:30 P.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio

Ozone Nonattainment Redesignation and Maintenance Plan Cleveland-Akron-Lorain Area News Release	Tuesday March 3 2:30 P.M.	Ohio EPA Northeast District Office 2110 East Aurora Road Twinsburg, Ohio
First Energy Bayshore Plant Information on studies regarding entrapment and entrainment at the power plant's water intake Lucas County Information Session Only News Release	Tuesday March 3 6:30-8:15 P.M.	Wynn Elementary School Gymnasium 5224 Bay Shore Road Oregon, Ohio
Suburban Collision Center Draft air permit Automotive body, paint and interior repair and maintenance facility Cuyahoga County News Release	Tuesday March 3 6:30 P.M.	Cuyahoga County Public Library 27403 Lorain Road North Olmsted, Ohio
Division of Air Pollution Control Proposed rules to consolidate Ohio's ambient air quality standards Public Notice	Thursday March 5 10:30 A.M.	Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio
Preble County Landfill Solid waste permit Proposed expansion News Release	Monday March 9 6:30 P.M.	Preble County Courthouse 101 East Main Street Eaton, Ohio
Division of Drinking and Ground Waters Proposed rules on requirements for underground injection control wells Contact: Mary McCarron	Tuesday March 10 10:00 A.M.	Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio
Fairport Harbor Dredging 401 Potential water quality impacts Lake County News Release	Tuesday March 10 6:00 P.M.	Fairport Harbor Public Library 335 Vine Street Fairport Harbor, Ohio
Combined 401s: Schaffner seawall and pier West tower and pier and Panuto Seawall and pier Potential water quality impacts Lorain County News Release	Thursday March 12 6:30 P.M.	Avon Lake Public Library 32649 Electric Blvd Avon Lake, Ohio
Ohio Department of Transportation 401 Water Quality Certification Potential impacts to wetlands and streams Holmes County Contact: Caroline Markworth	Thursday March 19 6:30 P.M.	Killbuck Township Community Room 340 North Main Street Killbuck Township, Ohio

<p>Ashtabula Harbor Dredging 401 Water Quality Certification Potential water quality impacts Ashtabula County Contact: Caroline Markworth</p>	<p>Tuesday March 24 6:30 P.M.</p>	<p>Chamber of Commerce 4536 Main Avenue Ashtabula, Ohio</p>
<p>OVEC Kyger Creek Plant Landfill New residual waste landfill Gallia County Public Hearing Only News Release</p>	<p>Wednesday March 25 6:30 P.M.</p>	<p>River Valley High School Cafeteria 1428 Little Kyger Road Cheshire, Ohio</p>
<p>BASF Catalyst Draft air permit Lorain County Contact: Caroline Markworth</p>	<p>Wednesday March 25 6:30 P.M.</p>	<p>Elyria Public Library West River Branch 1194 West River Road North Elyria, Ohio</p>
<p>Village of Roseville 401 Water Quality Certification Potential water quality impacts from constructing a raw drinking water well Perry and Muskingum Counties Contact: Jed Thorp</p>	<p>Tuesday March 31 6:00 P.M.</p>	<p>Roseville Community Center 13047 Karl Brown Road Roseville, Ohio</p>

April 2009

<p>Southington Schools Sewer Line Extention Potential Water Quality Impacts Trumbull County Contact: Caroline Markworth</p>	<p>Monday April 6 6:30 P.M.</p>	<p>Southington Christian Church 3285 State Route 534 Southington, Ohio</p>
<p>Lorain Harbor Dredging 401 Water Quality Certification Potential water quality impacts Lorain County Contact: Caroline Markworth</p>	<p>Tuesday April 7 6:30 P.M.</p>	<p>Lorain Public Library 351 Sixth Street Lorain, Ohio</p>
<p>Vista View Development Water Quality Certification Potential Water Quality Impacts Hamilton County Contact: Erika Wiggins</p>	<p>Thursday April 16 6:30 P.M.</p>	<p>Miami Township Hall 112 South Miami Avenue Cleves, Ohio</p>
<p>Maumee River WWTP Discharge permit hearing Potential Water Quality Impacts Lucas County Contact: Darla Peelle</p>	<p>Thursday April 16 6:30 P.M.</p>	<p>Waterville Council Chambers 25 North Second Street Waterville, Ohio</p>

Cooper Power Systems Facility Groundwater Pump and Treatment Discharge permit and PTI hearing Potential Water Quality Impacts Muskingum County Contact: Jed Thorp	Monday April 20 6:00 P.M.	John McIntire Library 220 North Fifth Street Zanesville, Ohio
---	---------------------------------	---

Press Releases

- **February 24, 2009--Public Meeting Scheduled Regarding Fairport Harbor Dredging Project**
- **February 25, 2009--Ohio EPA Approves Investigation, Cleanup for American Laundry Machinery Site**
- **February 27, 2009--Public Meeting Scheduled Regarding Three Proposed Lake Erie Shoreline Projects**
- **February 27, 2009--Ohio EPA Orders Ashland Business to Address Drinking Water Issues**
- **February 27, 2009--Ohio EPA Settles with Lake County Company for Hazardous Waste Violations**

Ashtabula County:

FINAL ISSUANCE OF RENEWAL OF NPDES PERMIT

PN KEN FORGING INC
 1049 GRIGGS RD
 JEFFERSON OH ACTION DATE : 04/01/2009
 RECEIVING WATERS: UNNAMED TRIB OF GRIGGS CREEK
 FACILITY DESCRIPTION: METAL FABRICATION
 IDENTIFICATION NO. : 3IS00121*BD
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
 TO ERAC.

DRAFT NPDES PERMIT RENEWAL - SUBJECT TO REVISION

PN GLENBEIGH HOSPITAL
 2863 STATE RTE 45 N
 ROCK CREEK OH ACTION DATE : 03/02/2009
 RECEIVING WATERS: BADGER RUN
 FACILITY DESCRIPTION: SCHOOL OR HOSPITAL
 IDENTIFICATION NO. : 3PT00116*BD

TITLE IV ACID RAIN PERMIT **APPLICATION RECEIVED**

PN **CLEVELAND ELECTRIC ILLUMINATING** CO., ASHTABULA PLANT
 2133 LAKE ROAD
 ASHTABULA OH ACTION DATE : 11/14/2002
 FACILITY DESCRIPTION: AIR
 IDENTIFICATION NO. : A0037103
 RENEWAL TITLE IV ACID RAIN PERMIT

Carroll County: NOTHING THIS WEEK.

Columbiana County: NOTHING THIS WEEK.

Geauga County:

FINAL ISSUANCE OF PERMIT TO INSTALL

PN OHIO DEPARTMENT OF NATURAL RESOURCES
 2045 MORSE ROAD, BUILDING F3
 COLUMBUS OH 43229 OH ACTION DATE : 02/24/2009
 FACILITY DESCRIPTION: WASTEWATER
 IDENTIFICATION NO. : 702482-A
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
 TO ERAC. WASTEWATER TREATMENT SYSTEM IMPROVEMENTS FOR PUNDERSON &
 NELSON KENNEY LEDGES STATE PARKS, NEWBURY TOWNSHIP, GEAUGA COUNTY

PROPOSED DENIAL OF PERMIT TO INSTALL

PN STEVE GAETJENS
14900 CHILLICOTHE ROAD
NOVELTY OH 44072 OH ACTION DATE : 02/26/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 633508
SANITARY SEWER EXTENSION FOR GAETJENS CONVENIENCE STORE AT 14900
CHILLICOTHE ROAD, RUSSELL TOWNSHIP, GEAUGA COUNTY

APPLICATION RECEIVED FOR AIR PERMIT

PN DURAMAX MARINE LLC
17990 GREAT LAKES PKWY
HIRAM OH ACTION DATE : 12/11/2008
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0036585
RENEWAL APPLLICATION FOR EMISSION UNITS P001, P002 AND P003

Lake County:

APPROVED PERMISSION FOR OPEN BURNING OAC CHAPTER 3745-19

PN GILSON GARDENS INC
3059 NORTH RIDGE ROAD
PERRY OH ACTION DATE : 02/09/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : LK1413

PN JOHN C KLYN NURSERY INC
3945 GREEN ST
PERRY OH ACTION DATE : 02/06/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : LK1411

PN RALPH T NORMAN NURSERIES
510 PARK ROAD
PAINESVILLE OH ACTION DATE : 02/17/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : LK1414

PN WILFORD CONE
6930 NORTH RIDGE ROAD
MADISON OH ACTION DATE : 02/09/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : LK1412

FINAL ISSUANCE OF CERTIFICATION

PN WAP CONSTRUCTION
1370 WEST 6TH ST., SUITE 210
CLEVELAND, OH 44113 OH ACTION DATE : 02/20/2009
RECEIVING WATERS: LAKE ERIE
FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 073158

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. ISSUANCE OF SECTION 401 WATER QUALITY CERTIFICATION TO
CONSTRUCT PHASE 2 OF THE LARIMAR LAKEFRONT NEIGHBORHOOD AND RELOCATE
A PERENNIAL UNNAMED STREAM LEADING INTO LAKE ERIE.

Mahoning County:

FINAL ISSUANCE OF REGISTRATION CERTIFICATE AS A GENERATOR OF
INFECTIOUS WASTE

PN AUSTINWOODS NURSING CENTER
4780 KIRK RD
AUSTINTOWN OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: INFECTIOUS WASTE
IDENTIFICATION NO. : 50-G-00958

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN: SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049, TEL: (614)644-2621. RENEWAL CERTIFICATE

APPROVED PERMISSION FOR OPEN BURNING OAC CHAPTER 3745-19

PN YOUNGSTOWN FIRE DEPARTMENT
623 W. BOSTON
YOUNGSTOWN, OHIO 44507 OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : 02-23-09YFD2

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. PERMISSION TO CONDUCT A FIRE TRAINING ON A VACANT HOUSE LOCATED AT 632 W. BOSTON, YOUNGSTOWN, OHIO 44507

PN YOUNGSTOWN FIRE DEPARTMENT
70 E. BOSTON
YOUNGSTOWN, OHIO 44507 OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : 02-23-09YFD1

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. PERMISSION TO CONDUCT A FIRE TRAINING ON A VACANT HOUSE LOCATED AT 70 E. BOSTON, YOUNGSTOWN, OHIO 44507.

PN YOUNGSTOWN FIRE DEPARTMENT
10 E. LACLEDE
YOUNGSTOWN OH ACTION DATE : 02/25/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : 02-25-09YFD

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. PERMISSION TO CONDUCT A FIRE TRAINING ON A TWO STORY VACANT HOUSE LOCATED 10 E. LACLEDE, YOUNGSTOWN, OHIO 44507

DRAFT NPDES PERMIT - SUBJECT TO REVISION

PN **INDUSTRIAL MINING** - CITY STONE
2213 PRICETOWN RD
DIAMOND OH ACTION DATE : 03/02/2009
RECEIVING WATERS: UNNAMED TRIB OF MAHONING RIVER
FACILITY DESCRIPTION: SAND & GRAVEL PRODUCER
IDENTIFICATION NO. : 3IJ00067*AD

Portage County:

FINAL ISSUANCE OF FINDINGS AND ORDERS UNDER ORC CHAP 3704

PN KAY ENTERPRISES, INC. D.B.A. WASTE REMOVAL EQUIPMENT
4588 STATE ROUTE 82
MANTUA, OHIO 44255 OH ACTION DATE : 02/26/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : 022609PR267

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. DIRECTOR'S FINAL FINDINGS AND ORDERS FOR MULTIPLE OPEN BURNING VIOLATIONS ON PROPERTY LOCATED AT 4588 STATE ROUTE 82, MANTUA TOWNSHIP, PORTAGE COUNTY, OHIO.

FINAL ISSUANCE OF MODIFICATION TO NPDES PERMIT CONDITIONS

PN FAIRLANE WWTP
1879 WHITEHALL DR
SUFFIELD TWP OH ACTION DATE : 03/01/2009
RECEIVING WATERS: UNNAMED TRIB TO POTTERS CREEK
FACILITY DESCRIPTION: COUNTY
IDENTIFICATION NO. : 3PG00096*GD
THIS ACTION WAS PRECEDED BY A PROPOSED ACTION.

PN RIVERMOOR ESTATES WWTP
1596 HAWTHORNE DR
SHUFFIELD OH ACTION DATE : 03/01/2009
RECEIVING WATERS: UNNAMED TRIB TO WINGFOOT LAKE OUTLE
FACILITY DESCRIPTION: COUNTY
IDENTIFICATION NO. : 3PG00127*GD
THIS ACTION WAS PRECEDED BY A PROPOSED ACTION.

FINAL ISSUANCE OF PERMIT TO INSTALL

PN OHIO DEPARTMENT OF NATURAL RESOURCES
2045 MORESE ROAD, BLDG F-3
COLUMBUS, OH 43229 OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 702482-B
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. WASTEWATER TREATMENT SYSTEM IMPROVEMENTS FOR PUNDERSON &
NELSON KENNEY LEDGES STATE PARKS, NELSON TOWNSHIP, PORTAGE COUNTY

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN RAVENNA CITY PWS
PO BOX 1215
RAVENNA OH ACTION DATE : 02/20/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 702163
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH6703211 PLAN NO:702163
REGARDINGNEW MILFORD RD WATERLINES

Stark County:

FINAL ISSUANCE OF REGISTRATION CERTIFICATE AS A GENERATOR OF
INFECTIOUS WASTE

PN HEMATOLOGY & ONCOLOGY ASSOCIATES, INC.
1455 HARRISON AVE NW #105
CANTON OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: INFECTIOUS WASTE
IDENTIFICATION NO. : 76-G-00956
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES
MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO
OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN:
SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049,
TEL: (614) 644-2621.

FINAL ISSUANCE OF REVOCATION OF PERMIT TO INSTALL

PN IAC CANTON, LLC
1212 SEVENTH ST SW
CANTON OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : RVK00691
FINAL REVOCATION OF A PERMIT-TO-INSTALL (PTI) HAS BEEN ISSUED FOR
THE FACILITY INDICATED. REQUESTS FOR PERTINENT INFORMATION AND
DOCUMENTATION CONCERNING THIS ACTION MUST BE DIRECTED TO GREG CLARK
AT CANTON CITY HEALTH DEPARTMENT, 420 MARKET AVENUE OR (330) 489-3385
. THE PERMIT REVOCATION CAN BE DOWNLOADED FROM THE WEB PAGE:
WWW.EPA.STATE.OH.US/DAPC

DENIED PERMISSION FOR OPEN BURNING OAC CHAPTER 3745-19

PN PAUL SALDUTTE
6000 FRANK AVE NW
JACKSON / CANTON-OH-44720 OH ACTION DATE : 02/19/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : CA090201

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. REQUEST FOR PRESCRIBED BURN OF NATURAL GRASSES AT KENT STATE UNIVERSITY, STARK CAMPUS DENIED DUE TO CLOSE PROXIMITY TO INTERSTATE 77.

FINAL ISSUANCE OF CERTIFICATION

PN MLM REAL ESTATE, LLC
4477 RENAISSANCE PARKWAY
WARRENSVILLE HEIGHTS, OH 44128 OH ACTION DATE : 02/20/2009
RECEIVING WATERS: BEECH CREEK
FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 083309

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. ISSUANCE OF ISOLATED WETLANDS PERMIT TO CONSTRUCT 27 MULTI-FAMILY RESIDENTIAL BUILDINGS WITH A COMMERCIAL BUILDING.

DRAFT OAC CHAPTER 3745-31 MODIFICATION OF PERMIT-TO-INSTALL AND OPERATE

NPN **ALLIED CORPORATION PLANT #73**

3848 ERIE SW
MASSILLON OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104296

CHRIS KORLESKI, DIRECTOR OF THE OHIO ENVIRONMENTAL PROTECTION AGENCY, 50 WEST TOWN STREET, COLUMBUS OHIO HAS ISSUED A DRAFT ACTION OF AN AIR POLLUTION CONTROL, FEDERALLY ENFORCEABLE PERMIT-TO-INSTALL AND OPERATE (PTIO) FOR THE FACILITY AT THE LOCATION IDENTIFIED ABOVE ON THE DATE INDICATED. COMMENTS CONCERNING THIS DRAFT ACTION, OR A REQUEST FOR A PUBLIC MEETING, MUST BE SENT IN WRITING NO LATER THAN THIRTY (30) DAYS FROM THE DATE THIS NOTICE IS PUBLISHED. ALL COMMENTS, QUESTIONS, REQUESTS FOR PERMIT APPLICATIONS OR OTHER PERTINENT DOCUMENTATION, AND CORRESPONDENCE CONCERNING THIS ACTION MUST BE DIRECTED TO CARA CHERRY AT OHIO EPA DAPC, SOUTHEAST DISTRICT OFFICE, 2195 FRONT STREET OR (740)385-8501. THE PERMIT CAN BE DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

SUMMIT COUNTY:

FINAL ISSUANCE OF FINDINGS AND ORDERS

PN IRG RUBBER CITY, LLC
3623 BRECKSVILLE ROAD
RICHFIELD, OHIO 44286 OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: SCRAP TIRE
IDENTIFICATION NO. : 77-IRG-GTR

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN: SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049, TEL: (614)644-2621. NOTICE IS HEREBY GIVEN THAT ON FEBRUARY 24, 2009, THE DIRECTOR OF OHIO EPA ISSUED FINAL FINDINGS AND ORDERS TO IRG RUBBER CITY, LLC, 3623 BRECKSVILLE ROAD, RICHFIELD, OH 44286 AND GOODYEAR TIRE AND RUBBER COMPANY, 1144 EAST MARKET STREET, AKRON, OH 44316 ("RESPONDENTS). PURSUANT TO ORC SECTION 3734.02(G) AND OAC RULE 3745-27-03(B), RESPONDENTS ARE HEREBY EXEMPTED FROM THE REQUIREMENTS OF OAC RULES 3745-27-13(H) (10) (A) (I) AND (II), TO FILE A PLAT REVISION AND A DEED NOTATION AND TO PROVIDE VERIFICATION OF SUCH FILING AS PART OF THE CERTIFICATION REPORT ASSOCIATED WITH THE SUBSURFACE INVESTIGATION OF THE "ALPHA" AREA . OHIO EPA AGREES THAT RESPONDENTS HAVE FOUND NO EVIDENCE OF WASTE DISPOSAL ON THE "BETA" AREA. THE EXEMPTION GRANTED FOR THE "ALPHA" AREA APPLIES SOLELY TO RESPONDENTS AND IS NOT TRANSFERABLE TO FUTURE OWNERS OF THE PROPERTY. THESE FINAL FINDINGS AND ORDERS ARE SUBJECT TO ALL RULES, REGULATIONS, AND SPECIFIED CONDITIONS.

FINAL ISSUANCE OF PERMIT TO INSTALL

PN SUMMIT COUNTY DEPARTMENT OF ENVIRONMENTAL SERVICES
VARIOUS STREETS
STOW OH ACTION DATE : 02/20/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 701919
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. SANITARY SEWER REPLACEMENT FOR KENNETH/SAMIRA ROAD PROJECT

FINAL ISSUANCE OF REGISTRATION CERTIFICATE AS A GENERATOR OF
INFECTIOUS WASTE

PN QUEST DIAGNOSTICS INC
2451 EDISON BLVD
TWINSBURG OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: INFECTIOUS WASTE
IDENTIFICATION NO. : 77-G-00959
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES
MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO
OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN:
SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049,
TEL: (614)644-2621. RENEWAL CERTIFICATE

FINAL ISSUANCE OF REVOCATION OF PERMIT TO INSTALL

PN CIRCLE K 5419
1830 EAST WATERLOO RD
AKRON OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : RVK00698
FINAL REVOCATION OF A PERMIT-TO-INSTALL (PTI) HAS BEEN ISSUED FOR
THE FACILITY INDICATED. REQUESTS FOR PERTINENT INFORMATION AND
DOCUMENTATION CONCERNING THIS ACTION MUST BE DIRECTED TO FRANK
MARKUNAS AT AKRON REGIONAL AIR QUALITY MANAGEMENT DISTRICT, 146
SOUTH HIGH STREET, ROOM 904 OR (330)375-2480. THE PERMIT REVOCATION
CAN BE DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

PN CIRCLE K 5402
310 TALLMADGE RD
CUYAHOGA FALLS OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : RVK00692
FINAL REVOCATION OF A PERMIT-TO-INSTALL (PTI) HAS BEEN ISSUED FOR
THE FACILITY INDICATED. REQUESTS FOR PERTINENT INFORMATION AND
DOCUMENTATION CONCERNING THIS ACTION MUST BE DIRECTED TO FRANK
MARKUNAS AT AKRON REGIONAL AIR QUALITY MANAGEMENT DISTRICT, 146
SOUTH HIGH STREET, ROOM 904 OR (330)375-2480. THE PERMIT REVOCATION
CAN BE DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

PN EMERALD PERFORMANCE MATERIALS, LLC
240 WEST EMERLING AVENUE
AKRON OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : RVK00696
FINAL REVOCATION OF A PERMIT-TO-INSTALL (PTI) HAS BEEN ISSUED FOR
THE FACILITY INDICATED. REQUESTS FOR PERTINENT INFORMATION AND
DOCUMENTATION CONCERNING THIS ACTION MUST BE DIRECTED TO LAURA
MIRACLE AT AKRON REGIONAL AIR QUALITY MANAGEMENT DISTRICT, 146 SOUTH
HIGH STREET, ROOM 904 OR (330)375-2480. THE PERMIT REVOCATION CAN BE
DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

PN EMERALD PERFORMANCE MATERIALS, LLC
240 WEST EMERLING AVENUE

AKRON OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : RVK00695
FINAL REVOCATION OF A PERMIT-TO-INSTALL (PTI) HAS BEEN ISSUED FOR
THE FACILITY INDICATED. REQUESTS FOR PERTINENT INFORMATION AND
DOCUMENTATION CONCERNING THIS ACTION MUST BE DIRECTED TO LAURA
MIRACLE AT AKRON REGIONAL AIR QUALITY MANAGEMENT DISTRICT, 146 SOUTH
HIGH STREET, ROOM 904 OR (330)375-2480. THE PERMIT REVOCATION CAN BE
DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

APPROVED PERMISSION FOR OPEN BURNING OAC CHAPTER 3745-19

PN MICHAEL JOHNSON-METRO PARKS
1828 SMITH ROAD
AKRON OH ACTION DATE : 02/13/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : 2398

FINAL APPROVAL OF MODIFICATION TO PRETREATMENT PROGRAM

PN SUMMIT CO FISHCREEK WWTP NO 25
2910 N RIVER RD
STOW OH ACTION DATE : 02/24/2009
RECEIVING WATERS: CUYAHOGA RIVER
FACILITY DESCRIPTION: COUNTY
IDENTIFICATION NO. : 3PK00012*HD
THIS ACTION WAS PRECEDED BY A PROPOSED ACTION.

PN SUMMIT CO UPPER TUSCARAWAS WWTP
1100 LOAMSHIRE DR
AKRON OH ACTION DATE : 02/24/2009
RECEIVING WATERS: TUSCARAWAS RIVER
FACILITY DESCRIPTION: COUNTY
IDENTIFICATION NO. : 3PK00013*HD
THIS ACTION WAS PRECEDED BY A PROPOSED ACTION.

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN AKRON CITY PWS
146 S. HIGH ST., ROOM 900
AKRON OH ACTION DATE : 02/25/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 702478
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH7700011 PLAN NO:702478
REGARDINGEDGEWOOD HOPE 6 PHASE II WATERLINE EXTENSION

PN AKRON CITY PWS
146 S. HIGH ST., ROOM 900
AKRON OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 702477
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH7700011 PLAN NO:702477
REGARDINGSUM - MARTHA AVE WATERLINE EXTENSION

ANNUAL SURVEY OF SOLID & INFECTIOUS WASTE & C&DD PROGRAM

PN BARBERTON HEALTH DISTRICT
571 WEST TUSCARAWAS AVENUE
BARBERTON, OHIO 44203 OH ACTION DATE : 02/25/2009
FACILITY DESCRIPTION: SOLID WASTE
IDENTIFICATION NO. : 77-00-AS
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES
MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO
OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN:

SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049,
TEL: (614)644-2621. NOTICE IS HEREBY GIVEN THAT ON FEBRUARY 25,
2009, THE DIRECTOR OF OHIO EPA HAVE DETERMINED THAT THE BARBERTON
HEALTH DISTRICT, 571 WEST TUSCARAWAS AVENUE, BARBERTON, OHIO 44203,
IS IN SUBSTANTIAL COMPLIANCE AND HEREBY PLACE THE BARBERTON HEALTH
DISTRICT ON OHIO EPA'S APPROVED LIST OF HEALTH DISTRICTS AUTHORIZED
TO ADMINISTER AND ENFORCE THE SOLID AND INFECTIOUS WASTE AND
CONSTRUCTION AND DEMOLITION DEBRIS LAWS AND RULES IN ACCORDANCE WITH
SECTIONS 3734.08 AND 3714.09 OF THE OHIO REVISED CODE. THIS APPROVAL
IS SUBJECT TO ALL RULES, REGULATIONS, AND SPECIFIED CONDITIONS.

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN TRI-COUNTY CONCRETE COMPANY
9423 DARROW ROAD
TWINSBURG OH ACTION DATE : 02/26/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104539
PLANT ROADWAYS

PN TRI-COUNTY CONCRETE COMPANY
9423 DARROW ROAD
TWINSBURG OH ACTION DATE : 02/26/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0104541
CONCRETE BATCH PLANT

APPLICATION RECEIVED FOR AIR PERMIT

PN TRI-COUNTY CONCRETE COMPANY
9423 DARROW ROAD
TWINSBURG OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037092
CONCRETE BATCH PLANT

PN TRI-COUNTY CONCRETE COMPANY
9423 DARROW ROAD
TWINSBURG OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037091
ROADWAYS AND PARKING AREAS

PN TRI-COUNTY CONCRETE COMPANY
9423 DARROW ROAD
TWINSBURG OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037101
MODIFICATION TO REMOVE ERRONEOUS SYN MINOR LIMITS IN PTI 16-1475

Trumbull County:

FINAL ISSUANCE OF PERMIT TO INSTALL

PN CARTER JONES LUMBER COMPANY
3747 STATE ROUTE 5
BRACEVILLE TWP. OH ACTION DATE : 02/20/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 671555
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. ON-SITE SEWAGE TREATMENT SYSTEM FOR CARTER LUMBER AT 3747
STATE ROUTE 5

FINAL ISSUANCE OF RENEWAL OF NPDES PERMIT

PN OBLATE SISTERS SACRED HEART INSTITUTE & PRESCH *
50 WARNER RD

HUBBARD OH ACTION DATE : 04/01/2009
RECEIVING WATERS: CRAB CREEK
FACILITY DESCRIPTION: SEMI-PUBLIC
IDENTIFICATION NO. : 3PR00200*CD
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC.

DRAFT NPDES PERMIT RENEWAL - SUBJECT TO REVISION

PN **MAPLEWOOD ELEMENTARY** SCHOOL
1699 KINSMAN RD OH ACTION DATE : 03/04/2009
NORTH BLOOMFIELD
RECEIVING WATERS: TRIB OF MOSQUITO CREEK
FACILITY DESCRIPTION: SCHOOL OR HOSPITAL
IDENTIFICATION NO. : 3PT00071*CD

PN **MAPLEWOOD MIDDLE** SCHOOL
4174 GREENVILLE RD OH ACTION DATE : 03/04/2009
CORTLAND
RECEIVING WATERS: TRIB TO BERRY CREEK
FACILITY DESCRIPTION: SCHOOL OR HOSPITAL
IDENTIFICATION NO. : 3PT00070*CD

APPLICATION RECEIVED FOR AIR PERMIT

PN **TRUMBULL METAL SPECIALTIES, INC.**
643 HENRY ST OH ACTION DATE : 02/23/2009
NILES
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0036837
THIS APPLICATION IS IN PURSUANCE OF A PERMIT FOR THE INSTALLATION
AND OPERATION OF A FACILITY WHICH WILL EMPLOY AIR EMISSIONS UNITS IN
THE MANUFACTURE OF METAL PARTS THROUGH THE CASTING OF MOLTEN IRON
FOR USE IN VARIOUS TYPES OF INDUSTRIAL PRODUCTION.