

Southwest OH1 WK #16
week ending Feb. 19, 2009

Friends in Southwest Ohio.

OHEJ allies like you made it clear in the EJ forums we held in 2007 that public notice in places people actually see/read is important. OHEJ allies have taken these citizen recommendations to OEPA, and are working for reform in this area. Stay tuned!

The information below is provided in order for you to see what is going on in Southwest Ohio. You will notice that some things have been highlighted to draw your attention to these items.

Key, **(PN)**=In Public Notice. **(NPN)**=Not in Public Notice. **Yellow**= Application for new permit received
Green=Pending draft action, pay close attention. **RED**=Final permit no chance for public comment.

Factory Farms NONE LISTED LAST WEEK

Public meetings for Feb. and March, 2009

February 2009		
Division of Surface Water Proposed Wastewater Permit to Install Rules Related Information	Tuesday February 24 10:30 A.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio
Division of Air Pollution Control Ohio's Regional Haze State Implementation Plan submitted to U.S. EPA Public Notice	Thursday February 26 3:30 P.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio
Sandusky Harbor Dredging 401 Potential Water Quality Impacts Contact: Darla Peelle	Thursday February 26 6:30 P.M.	Sandusky City Hall 222 Meigs Street Sandusky, Ohio

MARCH 2009

MARCH 2009

Ozone Nonattainment Redesignation and Maintenance Plan Columbus Area News Release	Monday March 2 2:30 P.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio
Ozone Nonattainment Redesignation and Maintenance Plan Cleveland-Akron-Lorain Area News Release	Tuesday March 3 2:30 P.M.	Ohio EPA Northeast District Office 2110 East Aurora Road Twinsburg, Ohio
First Energy Bayshore Plant Information on studies regarding entrapment and entrainment at the power plant's water intake Lucas County Information Session Only News Release	Tuesday March 3 6:30-8:15 P.M.	Wynn Elementary School Gymnasium 5224 Bay Shore Road Oregon, Ohio

<p>Suburban Collision Center Draft air permit Automotive body, paint and interior repair and maintenance facility Cuyahoga County News Release</p>	<p>Tuesday March 3 6:30 P.M.</p>	<p>Cuyahoga County Public Library 27403 Lorain Road North Olmsted, Ohio</p>
<p>Division of Air Pollution Control Proposed rules to consolidate Ohio's ambient air quality standards Public Notice</p>	<p>Thursday March 5 10:30 A.M.</p>	<p>Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio</p>
<p>Preble County Landfill Solid waste permit Proposed expansion News Release</p>	<p>Monday March 9 6:30 P.M.</p>	<p>Preble County Courthouse 101 East Main Street Eaton, Ohio</p>
<p>Division of Drinking and Ground Waters Proposed rules on requirements for underground injection control wells Contact: Mary McCarron</p>	<p>Tuesday March 10 10:00 A.M.</p>	<p>Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio</p>
<p>Fairport Harbor Dredging 401 Potential water quality impacts Lake County Contact: Caroline Markworth</p>	<p>Tuesday March 10 6:00 P.M.</p>	<p>Fairport Harbor Public Library 335 Vine Street Fairport Harbor, Ohio</p>
<p>Combined 401s: Schaffner seawall and pier West tower and pier and Panuto Seawall and pier Potential water quality impacts Lorain County Contact: Caroline Markworth</p>	<p>Thursday March 12 6:30 P.M.</p>	<p>Avon Lake Public Library 32649 Electric Blvd Avon Lake, Ohio</p>
<p>Ohio Department of Transportation 401 Water Quality Certification Potential impacts to wetlands and streams Holmes County Contact: Caroline Markworth</p>	<p>Thursday March 19 6:30 P.M.</p>	<p>Killbuck Township Community Room 340 North Main Street Killbuck Township, Ohio</p>
<p>Ashtabula Harbor Dredging 401 Water Quality Certification Potential water quality impacts Ashtabula County Contact: Caroline Markworth</p>	<p>Tuesday March 24 6:30 P.M.</p>	<p>Chamber of Commerce 4536 Main Avenue Ashtabula, Ohio</p>
<p>OVEC Kyger Creek Plant Landfill New residual waste landfill Gallia County Public Hearing Only News Release</p>	<p>Wednesday March 25 6:30 P.M.</p>	<p>River Valley High School Cafeteria 1428 Little Kyger Road Cheshire, Ohio</p>
<p>BASF Catalyst Draft air permit Lorain County Contact: Caroline Markworth</p>	<p>Wednesday March 25 6:30 P.M.</p>	<p>Elyria Public Library West River Branch 1194 West River Road North Elyria, Ohio</p>

Village of Roseville 401 Water Quality Certification Potential water quality impacts from constructing a raw drinking water well Perry and Muskingum Counties Contact: Jed Thorp	Tuesday March 31 6:00 P.M.	Roseville Community Center 13047 Karl Brown Road Roseville, Ohio
--	----------------------------------	--

April 2009		
Southington Schools Sewer Line Extention Potential Water Quality Impacts Trumbull County Contact: Caroline Markworth	Monday April 6 6:30 P.M.	Southington Christian Church 3285 State Route 534 Southington, Ohio
Lorain Harbor Dredging 401 Water Quality Certification Potential water quality impacts Lorain County Contact: Caroline Markworth	Tuesday April 7 6:30 P.M.	Lorain Public Library 351 Sixth Street Lorain, Ohio
Vista View Development Water Quality Certification Potential Water Quality Impacts Hamilton County Contact: Erika Wiggins	Thursday April 16 6:30 P.M.	Miami Township Hall 112 South Miami Avenue Cleves, Ohio

Public meetings for Feb. 2009

- **February 13, 2009--Ohio EPA Seeks Public Comments for Groundwater Designation for Hamilton County Property**
- **February 13, 2009--Ohio EPA Approves Cleanup of Former ODOT Garage in Ashland**
- **February 13, 2009--Public Meeting Scheduled Regarding Draft Permit Issued for Preble County Landfill Expansion**
- **February 17, 2009--Ohio EPA Requests Recognition of Improved Air Quality in Columbus and Cleveland/Akron; Public Hearings to be Held in March**
- **February 17, 2009--Ohio EPA Submits Plan to Address Regional Haze**
- **February 17, 2009--Ohio EPA Initiates, Approves Groundbreaking Agreement with Columbus Suburbs**
- **February 17, 2009--Ohio EPA Accepts Comments About Draft Air Permit for Biogas Production Facility in Columbus**
- **February 18, 2009--Air Pollution Control Violations Settlement for Mack Industries, Inc. in Medina County**
- **February 18, 2009--Public Meeting Scheduled Regarding Draft Air Permit Issued to Suburban Collision Center in Cuyahoga County**
- **February 18, 2009--Ohio EPA Approves Hamilton Investigation, Cleanup of Former Mercy Hospital Site**
- **February 19, 2009--Public Meeting Scheduled Regarding Draft Solid Waste Permit Issued to Ohio Valley Electric Corporation**
- **February 19, 2009--Ohio EPA Considering Options to Reduce Fish Mortality at Bay Shore Power Plant's Maumee Bay Water Intake**
- **February 19, 2009--Columbiana County Landfill to Immediately Cease Operations**

- **February 19, 2009--Ohio EPA Issues Franklin County Property Owner Another Covenant Not to Sue**

ADAMS COUNTY: NOTHING THIS WEEK.

BROWN COUNTY: NOTHING THIS WEEK.

BUTLER COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL

PN CITY OF OXFORD
REAR OF 325 W HIGH STREET
OXFORD OH ACTION DATE : 02/13/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 701845
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. SANITARY SEWER MAIN AT THE REAR OF 325 WEST HIGH STREET FOR
WALNUT STREET SANITARY SEWER UPGRADE

PN CITY OF OXFORD
CHESTNUT STREET AT CSX-RR CROSSING
OXFORD OH ACTION DATE : 02/13/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 703072
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. GRAVITY SANITARY SEWER FOR CHESTNUT STREET SEWER
IMPROVEMENTS AT CSX RAILROAD CROSSING

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN OXFORD CITY PWS
101 E HIGH ST
OXFORD OH ACTION DATE : 02/18/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 703139
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH0902312 PLAN NO:703139
REGARDINGHIGH ST WATER MAIN IMPROVEMENTS - CAMPUS AVE TO TALLAWAN DA
RD

PN OXFORD CITY PWS
101 E HIGH ST
OXFORD OH ACTION DATE : 02/13/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 702519
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH0902312 PLAN NO:702519
REGARDINGHIGH STREET WATER MAIN IMPROVEMENTS

APPLICATION RECEIVED FOR AIR PERMIT

PN TEDIA COMPANY INC
2880 SYMMES ROAD
FAIRFIELD OH ACTION DATE : 02/12/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037038
MODIFICATION TO INCREASE CAPACITY OF EQUIPMENT.

CLERMONT COUNTY:

APPLICATION FOR MODIFICATION TO NPDES PERMIT CONDITIONS

NPN WARDS CORNER REGIONAL WWTP
458 LOVELAND - MIAMIVILLE RD NE
MIAMIVILLE OH ACTION DATE : 02/19/2009
RECEIVING WATERS: UNNAMED TRIB TO LITTLE MIAMI RIVER
FACILITY DESCRIPTION: COUNTY
IDENTIFICATION NO. : 1PK00021*BD

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN MILFORD CITY PWS
745 CENTER ST., STE. 200
MILFORD OH ACTION DATE : 02/19/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 701619
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE

TO ERAC. DETAIL PLANS FOR PWSID:OH1301012 PLAN NO:701619
REGARDING WATER STREET WATER MAIN REPLACEMENT / SERVICES DEPARTMENT
PUMP STATION & GARFIELD AVE FORCE MAIN

APPLICATION RECEIVED FOR AIR PERMIT

PN CECOS INTERNATIONAL, INC.

5092 ABER ROAD

JACKSON TWP.

OH ACTION DATE : 02/12/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : A0037012

TO RENEW THE OPERATING PERMIT FOR THE STAGE I GASOLINE DISPENSING
FACILITY.

CLINTON COUNTY:

FINAL ISSUANCE OF RENEWAL OF NPDES PERMIT

PN NEW VIENNA WWTP

204 E CHURCH ST

NEW VIENNA

OH ACTION DATE : 04/01/2009

RECEIVING WATERS: EAST FORK OF LITTLE MIAMI

FACILITY DESCRIPTION: MUNICIPALITY

IDENTIFICATION NO. : 1PA00005*FD

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC.

HAMILTON COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL

PN RUMPKE SANITARY LANDFILL, INC.

10795 HUGHES RD

COLERAIN TWP.

OH ACTION DATE : 02/19/2009

FACILITY DESCRIPTION: WASTEWATER

IDENTIFICATION NO. : 687782

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. RELOCATION OF FORCE MAIN, LIFT STATION AND WHEEL WASH FOR
THE RUMPKE SANITARY LANDFILL WASTEWATER PRETREATMENT SYSTEM

FINAL ISSUANCE OF REVOCATION OF AIR PERMIT TO OPERATE

PN NEWTOWN SHELL

3804 CHURCH STREET

NEWTOWN

OH ACTION DATE : 02/17/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : RVK00680

FINAL REVOCATION OF A PERMIT-TO-OPERATE (PTO) HAS BEEN ISSUED FOR
THE FACILITY INDICATED. REQUESTS FOR PERTINENT INFORMATION AND
DOCUMENTATION CONCERNING THIS ACTION MUST BE DIRECTED TO MIKE KRAMER
AT HAMILTON COUNTY DEPT. OF ENVIRONMENTAL SERVICES, 250 WILLIAM
HOWARD TAFT PKWY. OR (513) 946-7777. THE PERMIT REVOCATION CAN BE
DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

PN STRUBLE RD SUNOCO

2785 STRUBLE RD

CINCINNATI

OH ACTION DATE : 02/17/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : RVK00681

FINAL REVOCATION OF A PERMIT-TO-OPERATE (PTO) HAS BEEN ISSUED FOR
THE FACILITY INDICATED. REQUESTS FOR PERTINENT INFORMATION AND
DOCUMENTATION CONCERNING THIS ACTION MUST BE DIRECTED TO MIKE KRAMER
AT HAMILTON COUNTY DEPT. OF ENVIRONMENTAL SERVICES, 250 WILLIAM
HOWARD TAFT PKWY. OR (513) 946-7777. THE PERMIT REVOCATION CAN BE
DOWNLOADED FROM THE WEB PAGE: WWW.EPA.STATE.OH.US/DAPC

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN CINCINNATI PUBLIC WATER SYSTEM

4747 SPRING GROVE AVE

CINCINNATI OH ACTION DATE : 02/18/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 702523
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH3102612 PLAN NO:702523 REGARDING
S 42 MAIN STREET MASON MONTGOMERY RD TO FOX DR WATER MAIN PROJECT

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN SPRING GROVE RESOURCE RECOVERY INC
4879 SPRING GROVE AVE.
CINCINNATI OH ACTION DATE : 02/18/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0098562
WASTE/WASTEWATER STORAGE TANKS

PN SPRING GROVE RESOURCE RECOVERY INC
4879 SPRING GROVE AVE.
CINCINNATI OH ACTION DATE : 02/18/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0098563
17,500 GALLON WASTE WATER TANK

PN TKF, INC.
726 MEHRING WAY
CINCINNATI OH ACTION DATE : 02/19/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0098933
PTIO FOR MISC. METAL PART PAINT BOOTH.

HIGHLAND COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL

PN MARSHALL TOWNSHIP TRUSTEES
11090 ST RT 124 HILLSBORO OH 45133
MARSHALL TWP. OH ACTION DATE : 02/19/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 700451
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. MARSHALL TOWNSHIP SEWAGE HOLDING TANK AT 11090 STATE ROUTE
124

APPLICATION FOR MODIFICATION TO NPDES PERMIT CONDITIONS

NPN **HICKORY HILLS LAKE CO**
5900 HICKORY HILLS DRIVE
HILLSBORO OH ACTION DATE : 02/19/2009
RECEIVING WATERS: HEADS BRANCH
FACILITY DESCRIPTION: SUBDIVISION
IDENTIFICATION NO. : 1PX00063*BD

WARREN COUNTY:

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN LEBANON CITY
50 SOUTH BROADWAY
LEBANON OH ACTION DATE : 02/18/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 702529
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH8304112 PLAN NO:702529
REGARDING DEERFIELD ROAD 16" TRANSMISSION MAIN PHASE II

PN LEBANON CITY
50 SOUTH BROADWAY

LEBANON OH ACTION DATE : 02/18/2009
 FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
 IDENTIFICATION NO. : 702531
 THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
 TO ERAC. DETAIL PLANS FOR PWSID:OH8304112 PLAN NO:702531
 REGARDINGJANET WAY EXTENSION

**Southwest OH1 WK #17
 week ending Feb. 26, 2009**

Friends in Southwest Ohio.

OHEJ allies like you made it clear in the EJ forums we held in 2007 that public notice in places people actually see/read is important. OHEJ allies have taken these citizen recommendations to OEPA, and are working for reform in this area. Stay tuned!

The information below is provided in order for you to see what is going on in Southwest Ohio. You will notice that some things have been highlighted to draw your attention to these items.

Key, (PN)=In Public Notice. (NPN)=Not in Public Notice. Yellow= Application for new permit received
 Green=Pending draft action, pay close attention. RED=Final permit no chance for public comment.

Factory Farms NONE LISTED LAST WEEK

Public Meetings

March 2009		
Ozone Nonattainment Redesignation and Maintenance Plan Columbus Area News Release	Monday March 2 2:30 P.M.	Ohio EPA Lazarus Government Center Conference Room A 50 West Town Street Columbus, Ohio
Ozone Nonattainment Redesignation and Maintenance Plan Cleveland-Akron-Lorain Area News Release	Tuesday March 3 2:30 P.M.	Ohio EPA Northeast District Office 2110 East Aurora Road Twinsburg, Ohio
First Energy Bayshore Plant Information on studies regarding entrapment and entrainment at the power plant's water intake Lucas County Information Session Only News Release	Tuesday March 3 6:30-8:15 P.M.	Wynn Elementary School Gymnasium 5224 Bay Shore Road Oregon, Ohio

<p>Suburban Collision Center Draft air permit Automotive body, paint and interior repair and maintenance facility Cuyahoga County News Release</p>	<p>Tuesday March 3 6:30 P.M.</p>	<p>Cuyahoga County Public Library 27403 Lorain Road North Olmsted, Ohio</p>
<p>Division of Air Pollution Control Proposed rules to consolidate Ohio's ambient air quality standards Public Notice</p>	<p>Thursday March 5 10:30 A.M.</p>	<p>Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio</p>
<p>Preble County Landfill Solid waste permit Proposed expansion News Release</p>	<p>Monday March 9 6:30 P.M.</p>	<p>Preble County Courthouse 101 East Main Street Eaton, Ohio</p>
<p>Division of Drinking and Ground Waters Proposed rules on requirements for underground injection control wells Contact: Mary McCarron</p>	<p>Tuesday March 10 10:00 A.M.</p>	<p>Ohio EPA Lazarus Government Center Conference Room B 50 West Town Street Columbus, Ohio</p>
<p>Fairport Harbor Dredging 401 Potential water quality impacts Lake County News Release</p>	<p>Tuesday March 10 6:00 P.M.</p>	<p>Fairport Harbor Public Library 335 Vine Street Fairport Harbor, Ohio</p>
<p>Combined 401s: Schaffner seawall and pier West tower and pier and Panuto Seawall and pier Potential water quality impacts Lorain County News Release</p>	<p>Thursday March 12 6:30 P.M.</p>	<p>Avon Lake Public Library 32649 Electric Blvd Avon Lake, Ohio</p>
<p>Ohio Department of Transportation 401 Water Quality Certification Potential impacts to wetlands and streams Holmes County Contact: Caroline Markworth</p>	<p>Thursday March 19 6:30 P.M.</p>	<p>Killbuck Township Community Room 340 North Main Street Killbuck Township, Ohio</p>
<p>Ashtabula Harbor Dredging 401 Water Quality Certification Potential water quality impacts Ashtabula County Contact: Caroline Markworth</p>	<p>Tuesday March 24 6:30 P.M.</p>	<p>Chamber of Commerce 4536 Main Avenue Ashtabula, Ohio</p>
<p>OVEC Kyger Creek Plant Landfill New residual waste landfill Gallia County Public Hearing Only News Release</p>	<p>Wednesday March 25 6:30 P.M.</p>	<p>River Valley High School Cafeteria 1428 Little Kyger Road Cheshire, Ohio</p>

BASF Catalyst Draft air permit Lorain County Contact: Caroline Markworth	Wednesday March 25 6:30 P.M.	Elyria Public Library West River Branch 1194 West River Road North Elyria, Ohio
Village of Roseville 401 Water Quality Certification Potential water quality impacts from constructing a raw drinking water well Perry and Muskingum Counties Contact: Jed Thorp	Tuesday March 31 6:00 P.M.	Roseville Community Center 13047 Karl Brown Road Roseville, Ohio

April 2009

Southington Schools Sewer Line Extention Potential Water Quality Impacts Trumbull County Contact: Caroline Markworth	Monday April 6 6:30 P.M.	Southington Christian Church 3285 State Route 534 Southington, Ohio
Lorain Harbor Dredging 401 Water Quality Certification Potential water quality impacts Lorain County Contact: Caroline Markworth	Tuesday April 7 6:30 P.M.	Lorain Public Library 351 Sixth Street Lorain, Ohio
Vista View Development Water Quality Certification Potential Water Quality Impacts Hamilton County Contact: Erika Wiggins	Thursday April 16 6:30 P.M.	Miami Township Hall 112 South Miami Avenue Cleves, Ohio
Maumee River WWTP Discharge permit hearing Potential Water Quality Impacts Lucas County Contact: Darla Peelle	Thursday April 16 6:30 P.M.	Waterville Council Chambers 25 North Second Street Waterville, Ohio
Cooper Power Systems Facility Groundwater Pump and Treatment Discharge permit and PTI hearing Potential Water Quality Impacts Muskingum County Contact: Jed Thorp	Monday April 20 6:00 P.M.	John McIntire Library 220 North Fifth Street Zanesville, Ohio

Press Releases

- **February 24, 2009--Public Meeting Scheduled Regarding Fairport Harbor Dredging Project**
- **February 25, 2009--Ohio EPA Approves Investigation, Cleanup for American Laundry Machinery Site**
- **February 27, 2009--Public Meeting Scheduled Regarding Three Proposed Lake Erie Shoreline Projects**
- **February 27, 2009--Ohio EPA Orders Ashland Business to Address Drinking Water Issues**
- **February 27, 2009--Ohio EPA Settles with Lake County Company for Hazardous Waste Violations**

ADAMS COUNTY:

TITLE IV ACID RAIN PERMIT APPLICATION RECEIVED

PN DP&L, KILLEN GENERATING STATION
14869 U.S. ROUTE 52
MANCHESTER OH ACTION DATE : 09/26/2002
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037104
RENEWAL OF TITLE IV ACID RAIN PERMIT

BROWN COUNTY: NOTHING THIS WEEK.

BUTLER COUNTY:

APPLICATION FOR ANTIDegradation PROJECT

NPN AK STEEL CORPORATION-MIDDLETOWN WORKS
1801 CRAWFORD ST.
MIDDLETOWN, OH 45053 OH ACTION DATE : 03/03/2009
RECEIVING WATERS: DICKS CREEK
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 1ID00006
ANTIDegradation PROJECT AS DEFINED BY OAC 3745-1-05 - AN EXCLUSION
OR WAIVER IS APPLICABLE. REQUESTS TO BE ON THE INTERESTED PARTIES
MAILING LIST SHOULD BE SUBMITTED WITHIN 30 DAYS TO OHIO EPA-DIVISION
OF SURFACE WATER, ATTENTION: PERMITS PROCESSING UNIT, 50 WEST TOWN
STREET, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049.

APPLICATION FOR NPDES PERMIT

PN AK STEEL CORP - MIDDLETOWN WORKS
DICKS CREEK & MONROE DITCH
MIDDLETOWN OH ACTION DATE : 02/24/2009
RECEIVING WATERS: DICKS CREEK
FACILITY DESCRIPTION: STEEL MILL
IDENTIFICATION NO. : 1ID00006

CLERMONT COUNTY:

FINAL ISSUANCE OF MODIFICATION TO NPDES PERMIT CONDITIONS

PN WILLIAM H. ZIMMER STATION
1781 US RTE 52
MOSCOW OH ACTION DATE : 03/01/2009
RECEIVING WATERS: OHIO RIVER
FACILITY DESCRIPTION: POWER PLANT
IDENTIFICATION NO. : 1IB00011*JD
THIS ACTION WAS PRECEDED BY A PROPOSED ACTION.

DRAFT NPDES PERMIT RENEWAL - SUBJECT TO REVISION

PN CLERMONT NE LOCAL SCHOOLS WWTP
5327 HUTCHINSON RD
OWENSVILLE OH ACTION DATE : 03/04/2009
RECEIVING WATERS: PATTERSON RUN
FACILITY DESCRIPTION: SCHOOL OR HOSPITAL
IDENTIFICATION NO. : 1PT00077*CD

APPLICATION RECEIVED FOR AIR PERMIT

PN CUSTOM BUILT CRATES, INC.
1700 VICTORY PARK DR
MILFORD OH ACTION DATE : 02/20/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037094
PAINT BOOTHS K001 AND K002 ARE BEING CHANGED FROM SYNTHETIC MINOR
OPERATIONS UNDER PTI 14-4824 TO A GENERAL PERMIT

CLINTON COUNTY:

FINAL ISSUANCE OF MODIFICATION TO NPDES PERMIT CONDITIONS

PN WILMINGTON WTP
1142 PRAIRIE AVE
WILMINGTON OH ACTION DATE : 03/01/2009
RECEIVING WATERS: LYTLE CREEK
FACILITY DESCRIPTION: LIME, SODA SOFTENING
IDENTIFICATION NO. : 1IW00240*FD
THIS ACTION WAS PRECEDED BY A PROPOSED ACTION.

FINAL ISSUANCE OF CERTIFICATION

PN ROCKIES EXPRESS PIPELINE LLC
500 DALLAS STREET, SUITE 1000
HOUSTON, TX 77002 OH ACTION DATE : 02/24/2009
RECEIVING WATERS: MULTIPLE RECEIVING WATERS
FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 073227/073228-2
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. GRANT OF SECTION 401 WATER QUALITY CERTIFICATION AND
ISOLATED WETLANDS PERMIT TO A PROJECT TO CONSTRUCT A 194 MILE
42-INCH DIAMETER HIGH PRESSURE NATURAL GAS PIPELINE.

HAMILTON COUNTY:

FINAL ISSUANCE OF REGISTRATION CERTIFICATE AS A GENERATOR OF
INFECTIOUS WASTE

PN HARRISON PAVILION
2171 HARRISON AVE
CINCINNATI OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: INFECTIOUS WASTE
IDENTIFICATION NO. : 31-G-01426
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES
MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO
OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN:
SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049,
TEL: (614)644-2621. RENEWAL CERTIFICATE

ISSUANCE OF APPROVAL OF OAC 3745-27-13 AUTHORIZATION

PN OHIO DEPARTMENT OF TRANSPORTATION
1980 WEST BROAD STREET
COLUMBUS, OH 43223 OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: SOLID WASTE
IDENTIFICATION NO. : 31-2713A
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. PERSONS WISHING TO BE ON OHIO EPA'S INTERESTED PARTIES
MAILING LIST FOR THIS PROJECT MUST SUBMIT A REQUEST IN WRITING TO
OHIO EPA, DIVISION OF SOLID AND INFECTIOUS WASTE MANAGEMENT, ATTN:
SYSTEMS MANAGEMENT UNIT, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049,
TEL: (614)644-2621. PURSUANT TO OAC RULE 3745-27-13, NOTICE IS
HEREBY GIVEN THAT ON FEBRUARY 24, 2009, THE DIRECTOR OF OHIO EPA
AUTHORIZED OHIO DEPARTMENT OF TRANSPORTATION, OFFICE OF
ENVIRONMENTAL SERVICES AND/OR THEIR APPOINTED REPRESENTATIVE TO
ENGAGE IN FILLING, GRADING, EXCAVATING, BUILDING, DRILLING, OR
MINING ACTIVITIES AT THE CLOSED ST. BERNARD LANDFILL (FACILITY). THE
FACILITY IS LOCATED AT THE END OF PHILLIPS AVENUE, ST. BERNARD, OHIO
45217. THIS AUTHORIZATION IS SUBJECT TO ALL RULES, REGULATIONS, AND
SPECIFIED CONDITIONS.

APPLICATION RENEWAL FOR NPDES PERMIT

NPN DUKE ENERGY OHIO INC - CG&E MIAMI FORT STATION
11021 BROWER RD
NORTH BEND OH ACTION DATE : 02/27/2009

RECEIVING WATERS: OHIO RIVER
FACILITY DESCRIPTION: POWER GENERATING STATIO
IDENTIFICATION NO. : 1IB00001

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN INDIAN HILL CITY PWS
6525 DRAKE RD
CINCINNATI OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 703065
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH3101112 PLAN NO:703065
REGARDINGAMBLESIDE ESTATES

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN MELVIN STONE COMPANY
11641 MOSTELLER ROAD
SHARONVILLE OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0103979
INITIAL PTIO FOR A 400 TPH PORTABLE HORIZONTAL IMPACT CRUSHING PLANT
AND A 415 HP CRUSHER ENGINE

PN SPRING GROVE RESOURCE RECOVERY INC
4879 SPRING GROVE AVE.
CINCINNATI OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0098565
STORAGE TANK RENEWAL

PN SPRING GROVE RESOURCE RECOVERY INC
4879 SPRING GROVE AVE.
CINCINNATI OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : P0098568
FUEL DISPERSION

APPLICATION RECEIVED FOR AIR PERMIT

PN **COATING SYSTEMS, INC.**
150 SALES AVENUE
HARRISON OH ACTION DATE : 07/02/2008
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037066
RENEWAL OF PTIO FOR EMISSIONS UNIT K002

PN **GREATER CINCINNATI FUNERAL TRADE CO.**
1919 THINNES STREET
CINCINNATI OH ACTION DATE : 02/26/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037102
FIRST ISSUE PTIO AFTER A PTI FOR EU N002, MILLENNIUM III CREMATORY

PN **GENERAL MILLS OPERATIONS, INC.**
11301 MOSTELLER ROAD
CINCINNATI OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0036782
THE PURPOSE OF THIS APPLICATION IS TO MODIFY THE EXISTING EMERGENCY
GENERATOR (EMISSIONS UNIT B004) TO ALLOW IT TO BE A PEAK SHAVING
GENERATOR.

PN **PATHEON PHARMACEUTICALS INC.**
2110 EAST GALBRAITH RD

CINCINNATI OH ACTION DATE : 02/24/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0036624
PTO FOLLOWS PTI MODIFICATION 14-06009 FOR INTERMEDIATE SCALE PROCESS
SUITE, PHARMACEUTICAL MANUFACTURING

PN RUMPKE SANITARY LANDFILL, INC.
10795 HUGHES ROAD
CINCINNATI OH ACTION DATE : 02/20/2009
FACILITY DESCRIPTION: AIR
IDENTIFICATION NO. : A0037029
INSTALLATION OF PORTABLE TRASH TIPPER DIESEL IC ENGINE #4 (BACK-UP
UNIT) .

HIGHLAND COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL
PN HIGHLAND COUNTY COMMISSIONERS
11993 SPRUANCE RD
MARSHALL TWP. OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 702056
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. GRINDER PUMP & PRESSURE SEWER FOR THE SOUTHSIDE ROCKY FORK
LAKE WASTEWATER COLLECTION IMPROVEMENTS

PROPOSED ISSUANCE OF MODIFICATION TO NPDES PERMIT CONDITIONS

PN HICKORY HILLS LAKE CO
5900 HICKORY HILLS DRIVE
HILLSBORO OH ACTION DATE : 03/05/2009
RECEIVING WATERS: HEADS BRANCH
FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 1PX00063*BD
REVISE BEGIN AND END DATES FOR INTERIM AND FINAL TABLES FOR OUTFALL
001, DELETE PART I, C. SCHEDULE OF COMPLIANCE, REVISE PART II, ITEM
A TO RECLASSIFY THE FACILITY FROM CLASS I TO CLASS A

WARREN COUNTY:

FINAL ISSUANCE OF PERMIT TO INSTALL
PN WARREN COUNTY BOARD OF COUNTY COMMISSIONERS
NUNNER ROAD
HAMILTON TWP. OH ACTION DATE : 02/23/2009
FACILITY DESCRIPTION: WASTEWATER
IDENTIFICATION NO. : 702160
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. SANITARY SEWER ALONG NUNNER ROAD FOR THE THORNTON GROVE
SUBDIVISION

FINAL APPROVAL OF PLANS AND SPECIFICATIONS

PN SPRINGBORO PWS
P.O. BOX 878
SPRINGBORO OH ACTION DATE : 02/20/2009
FACILITY DESCRIPTION: COMMUNITY WATER SYSTEM
IDENTIFICATION NO. : 704388
THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. DETAIL PLANS FOR PWSID:OH8301412 PLAN NO:704388
REGARDINGPENNYROYAL ROAD 12" WATER MAIN RELOCATION

FINAL ISSUANCE OF CERTIFICATION

PN ROCKIES EXPRESS PIPELINE LLC
500 DALLAS STREET, SUITE 1000
HOUSTON, TX 77002 OH ACTION DATE : 02/24/2009
RECEIVING WATERS: MULTIPLE RECEIVING WATERS

FACILITY DESCRIPTION: MISCELLANEOUS
IDENTIFICATION NO. : 073227/073228-1

THIS FINAL ACTION NOT PRECEDED BY PROPOSED ACTION AND IS APPEALABLE
TO ERAC. GRANT OF SECTION 401 WATER QUALITY CERTIFICATION AND
ISOLATED WETLANDS PERMIT FOR A PROJECT TO CONSTRUCT A 194 MILE
42-INCH DIAMETER HIGH PRESSURE NATURE GAS PIPELINE.

FINAL ISSUANCE OF PERMIT-TO-INSTALL AND OPERATE

PN

PHARMACIA HEPAR INC
160 INDUSTRIAL DRIVE
FRANKLIN

OH ACTION DATE : 02/23/2009

FACILITY DESCRIPTION: AIR

IDENTIFICATION NO. : P0104285

INITIAL INSTALLATION OF ETHANOL RECOVERY PROCESS INCLUDING 40 FT.
DISTILLATION COLUMN, 3000 GALLON EVAPORATOR AND THREE (3) 10,000
GALLON PROCESS VESSELS.